



Casella HAVex Vibration Meter



Make all the measurements necessary for Hand Arm Vibration risk assessment.

The HAVex Tri-Axial Hand Arm Vibration Meter has been specifically designed for Hand Arm Vibration Exposure Measurements. It's a simple to use meter that measures the levels of vibration transmitted to the hand from power tools, vehicles, machine controls and other vibration sources.

Applications

The use of hand held power tools in many industries can result in Hand Arm Vibration Syndrome (HAVS) which is a painful and disabling disorder affecting the blood vessels, nerves and joints of the hand.


- Hand Arm Vibration Exposure Measurements
- Risk assessment
- Power tool condition and maintenance database
- ISO 5349 : 2001 Mechanical Vibration – Guidelines for Measurement
- ANSI S2.70 (2006) guide for the measurement and evaluation of human exposure to vibration transmitted to the hand

Key features

- Simple operation
- Robust accelerometer & cable
- Large colour display
- Large 'flash' memory
- Large dynamic range
- Rechargeable battery
- Easily view, export & report data
- Supplied as a kit with everything you need to begin measuring

Technical Specification

Performance:	Conforms to ISO 8041 : 2005 Human Response to Vibration – Measuring Instrumentation
Level Ranges:	Low: 0.05-200m/s ² , 0.005-20.4g High: 0.5-2000m/s ² , 0.05-204g
Channels:	1
Parameters:	Acceleration: Arms, Aeq, Amax, Peak, Vector Sum, Exposure Points
Linear Range:	72 dB
Frequency Weighting:	W _H - Hand Arm Filter
Memory:	Flash Memory storing up to 992 recordings
Transducer:	KD1010, 10mV/g
Noise Floor:	Low: 0.002 m/s ² High: 0.020 m/s ²
Display:	Full colour, Graphic OLED 160 x 128
Batteries:	NiMH re-chargeable (typically 10 hours continuous use)
Connections:	AC Output: 4 pole 3.5mm jack Download: USB Micro B (cable incl.) Recharge: DC socket (charger & cable supplied)
Environmental:	Temperature : -10°C - +50°C Humidity: up to 90% RH non-condensing
Electromagnetic:	SI 2005/281, 2004/108/EC
Case:	High impact ABS plastic and tactile membrane keypad



Casella Vibdata Hand Arm Vibration Software

The HAVex meter is supplied with the Vibdata Lite software which allows you to download your measurements via USB for analysis and storage of data as required by the regulations. OR upgrade to Vibdata Pro which has added features:

- Exposure Calculator
- Merge/Combine Results
- Add Images
- Trend Analysis
- Add new records

Ordering Information

M104006 Casella HAVex kit:
Comprising of: HAVex meter,
HARM Tri-axial Accelerometer & Cable,
Mounting Plate, Carry Case,
Vibdata Lite software

Spares & Accessories

M104009 HARM Tri-axial Accelerometer & Cable
M104014** Vibdata Pro Vibration Analysis Software
M104016* Mounting Block
M104017* Replacement Battery Pack
M104018* Charger Unit
M104020* USB Cable



* Supplied with the Casella HAVex as part of the kit

** Upgrade from the supplied HAVexdata LITE software supplied with the instrument

UK Office Casella

Regent House,
Wolseley Road,
Kempston,
Bedford MK42 7JY.
United Kingdom
Tel: +44 (0) 1234 844100
Email: info@casellameasurement.com
Web: www.casellameasurement.com

Casella Inc.

415 Lawrence Bell Drive
Unit 4
Buffalo
NY 14221
USA
Toll Free: (800) 366-2966
Tel: +1 (716) 276-3040
Email: info@casellaUSA.com

Brandt Instruments, Inc.

18568 Oak Grove Pkwy
Prairieville, LA 70769
1-800-337-6291
P: 225-673-6776 * F: 225-673-6725

Ideal Industries India Pvt.Ltd.

229-230, Spazedge,
Tower -B Sohna Road,
Sector-47, Gurgaon-122001,
Haryana
India
Tel: +91 124 4495100
E-mail: info@casellasolutions.com

Ideal Industries China

No. 61, Lane 1000, Zhangheng Road
Pudong District, Shanghai 201203
China
Tel: +86 21 31263188
Email: info@casellameasurement.cn

<http://www.brandtinst.com/>
e-mail: <marketing@brandtinst.com>

SM13001 v1.0